

**Department of Fishery,  
Dr G C Negi College of Veterinary & Animal Sciences, HP)  
CSK, Himachal Pradesh Krishi Vishva Vidyalaya, PALAMPUR (176062)**

---

No:QSD.2-1/Fish/COVAS/2019/- 754-5

Dated the, Palampur:

01-10-20

From

The Head

To

**All the Dean/Director, CSKHPKV, Palampur  
All the Statutory officer, CSKHPKV Palampur  
All the Head of Deptt, CSKHPKV Palampur**


**Sub- Unserviceable articles-willingness of acquisition thereof.**

Sir,

The articles as per list have becomes unserviceable and are to be dispose off by public auction . All the Deptt./Units are requested to intimate their willingness for acquisition for any of these articles on book value basis before these are disposed off in the manner as prescribed.

It is therefore requested that willingness to acquire any item may kindly be intimated to this office within 15 days failing which these articles will be disposed through public auction.

Yours Faithfully



Head, Deptt. of ,Fishery  
COVAS, CSKHPKV  
Palampur

List of permanent store articles which has been declared unserviceable due to normal wear and tear by the physical verification committee required to be disposed off through public auction/written off from the stock book of SB-2-VOL-II Deptt. Of Fishry,COVAS,CSKHPKV,Palampur for the year -2020.

S.No.	Name of the items	Total No. Of Qty.	Date of Purchase	Rate	Entry/Page	Amount
1.	Enamel trays	4	08.02.2000	40/-	1/3	160/-
2.	Wooden table	1	08.02.2000	700/-	1/4	700/-
3.	80 Gauge iron sheet	14 sq feet	08.02.2000	165/-	1/50	165/-
4.	Chair Wooden	2 2	08.02.2000	400/-	1/43	800/-
5.	Angithi Iron	2 2	08.02.2000	76/- 140/-	1/56	152/- 280/-
6.	Screw Driver	3	08.02.2000	19/-	1/61	57/-
7.	Karandi	2	08.02.2000	22/-	1/64	44/-
8.	Enamel trays 18X10	12	08.02.2000	52/- each	1/67	624/-
9.	Enamel trays 18X24	2	08.02.2000	40/-	1/68	80/-
10	Forceps 14	2	08.02.2000	90/-	1/70	180/-
11.	Enamel trays 8X10	3	08.02.2000	40/-each	1/72	120/-
12.	Plankton Counting cell	1	24.02.2000	294/-	1/76	294/-
13.	Dial clipper 6"	1	24.08.1989	1980/-	1/84	1980/-
14.	Enamel trays 12"X15"	10	11.01.1991	42/- each	1/95	420/-
15.	Fishing rod set wooden (HOD)	1 set	30.07.1991	318/-	1/102	318/-
16.	Key Double side Oxygen Cylinder	2	14.10.1991	e 331/- e 351/-	1/106	68/-
17.	Reprint BOXES	10	11.12.1991	50/-each	1/114	500/-
18.	Aldrops	7	08.02.2000	14/-	1/106	98/-
19.	Hamam dasta	1	20.02.1993	130/-	1/121	130/-
20.	Drum Handolium Cap. 50 ltr.	2	06.03.2006	1503/-	6/124	3006/-

10,176=00

10,176=00

21.	Bucket Handolium	1 ✓	06.03.2002	306/- ✓	1/125	306/- ✓
22.	Steel Chair	8 ✓ 5 ✓	13.11.1991 30.03.1987	210/-each ✓ 400/-each ✓	1/142	3580=00 ✓
23.	Locks	5 ✓	06.02.2002	30/- ✓	1/150	150/- ✓
24.	Micro processor P H Analyser	1 ✓	24.03.1999	14450/- ✓	1/173	14450/- ✓
25.	PH Pocket tester	1 ✓	23.03.2004	5969/- ✓	1/191	5969/- ✓
26.	Pocket temp. tester	1 ✓	23.03.2004	3150/- ✓	1/192	3150/- ✓
27.	Helogen heater	1 ✓	19.01.2006	1050/- ✓	1/211	1050/- ✓
28.	Pencil BOX wooden	1 ✓	02.02.2007	275/- ✓	1/231	275/- ✓
29.	Tasla iron	4 ✓	07.03.2007	100/-each ✓	1/233	400/- ✓
30.	Nexus NB 800 TB 4 p.s	1 ✓	08.02.2008	3847/- ✓	1/238	3847/- ✓
31.	Speaker creative A-300	1 ✓	03.03.2010	1750/- ✓	1/247	1750/- ✓
32.	Steel scale	2 ✓	20.11.2010	80/- ✓	1/253	160/- ✓
33.	Water purifier	1 ✓	27.11.2010	3850/- ✓	1/254	3850/- ✓
34.	Calulator CT	2 ✓	25.12.2011	350/-each ✓	1/260	700/- ✓

499/3=00

1. It is certified that the above mentioned permanent store articles from S.No. 1 to 34 physically verified and examined by us and found unserviceable and even not repairable which are urgently need to disposed off/written off from the store.

2. Certified that the permanent store article from S.No. 1 to 34 have become unserviceable due to normal wear and tear and no official/officer is responsible for becoming these article unserviceable.

3. Certified that the permanent store articles from S.No. 1 to 34 absolute and have outlived there life due to normal wear and tear & require to be disposed off through public auction.

4. Certified that the above articles from S. No. 1 to 34 have been declared unserviceable on the stock register by the physical verification committee.

Signature of Physical Verification committee

1. Dr. P. Dhas, Prof, Vety microbiology

2. Dr. R. D. Patil, Assitt Prof. Vety Pathology

3. Dr. An kaj Thakur, Assitt Prof. LSC,

UNS