

Chaudhary Sarwan Kumar Himachal Pradesh Krishi Vishvavidyalaya  
Bee Research Station, Nagrota Bagwan

NO. QSD/CSKHPKV/BRS/2024/-1474-75

Dated: 06/12/2024

From

Scientist Incharge,  
Bee Research Station  
Nagrota Bagwan

To

M/s Himalayan Cyber Security System  
V.P.O. Muhal, Tehsil- Dehra  
Dist. Kangra H.P.

**Sub:** Regarding disposal of unserviceable E-waste materials.

Sir,

This has reference to the letter No. QSD/CSKHPKV/CPDU/1-35(RCRW-Malan)/CSKHPKV/24/-76673-74 dated: 04.09.2024 received from the Comptroller, CSKHPKV, Palampur on the subject cited above.


In this context, it is to inform you that the dispose off/write off of unserviceable E-waste materials has been sanctioned by the competent authority as per enclosed list and disposal of E-waste strictly as per guidelines/instructions issued vide Comptroller Office vide letter No. QSD/2-73/CSKHPKV-CPDU/E-waste/23645-23744, No.23745-84 dated: 01.04.2021 and letter of even No. 80230-339 dated:13.12.2022 will be put on 17.12.2024 at 11 am in the premises of Bee Research Station, Nagrota Bagwan.

It is therefore requested to you kindly visit this station on the date/time mentioned as above.

Thanking you

Yours faithfully

**Encl:** As above

  
**Scientist-in-Charge**  
**Bee Research Station (CSKHPKV)**  
**Nagrota Bagwana (India) 176047**

**CC:** The Incharge, UNS, CSKHPKV, Palampur. He is requested to kindly upload the same in the University website.

List of unserviceable E-waste material to be disposed off on dated: 17.12.2024 vide Comptroller,s letter No. QSD/SCKHPKV/CPDU/1-35(RWRC-Malan)/CSKHKV/24/-4667.  
dated: 04.09.2024

Sr. No.	Item Name	Total No. of Quantity	Date of purchase	Total Book Value (in Rs.)	Total amount	Stock Register	Entry/Page	Present Condition
1	Ceiling Fan	02 No.	Entered on 18.05.2001	N.A.	N.A.	---do---	1/239	Unserviceable
2	Table lamp	1 Nos.	20.12.94	220/-	220/-	-do-	1/284	unserviceable
3	Refrigerator (Kelvinator 165 L)	1 No.	1.2.1985	3225/-	3225/-	-do-	1/320	Unserviceable & rusted
4	HP Desk Jet F-2235 and PSC 1210 printers	2 Nos.	22.12.08 & 23.12.2003 respectively	4987/- & 6439/- respectively	11426/-	-do-	1/388	Unserviceable
5	Calclator	2 Nos.	11.11.2003	450/ each	900/-	Non-consumable stock register-Vol-5 (RF-038-92-A-48)	1/3	Unserviceable
6	Computer	1 No.	12.09.2002	59900/-	59900/-	---do---	1/4	Unserviceable
7	Thermograph recorder	1 No.	26.8.2003	34020/-	34020/-	----do---	1/41	Unserviceable
8	UPS-625 UR	1 No.	21.09.2002	Received from Dept. of Ento.	N.A.	---do---	1/46	Unserviceable
9	Sew Universal Laboratory incubator	1 No.	21.02.1978	3516/-	3516/-	---do--	1/62	Unserviceable
10	Stabilizer (Kelvinator)	1 No.	1.2.1985 (Date of receiving)	Received from Dept. of Ento.	N.A.	--do--	1/80	Unserviceable & rusted
11	Table fan	2 Nos.	11.6.1991 & 1.2.2006	672/- and 2450/-	3122/-	-do-	1/190	Unserviceable
12	Room heater	01 No.	20.12.2008	1800/-	1800/-	---do---	1/196	Rusted & unserviceable
13	UPS Battery (Scrap material)	1 No.	Replaced from CPU APC-1000 on 22.09.2022	Scarp material	-	CSR of RF-038-92-A-48	1/255	Unserviceable
<b>Total=</b>					<b>118129/-</b>	<b>(Rupees one lakh eighteen thousand one hundred twenty nine only)</b>		